INDEX

Acritochæta pulvinata, 448, 451.
Actias luna, 247.
Adoxus obscurus vitis, 384.
  vitis, egg laying habits in France 384.
Aëdes calopus, 197.
Aegeritia webberii, 202.
Aegathis vulgaris, 438.
Agrilus anxius, 246.
  bilineatus, 180.
Agropyron smithii, 107.
Agropyron tenerum, 249.
Alabama argillacea 465, 467; outbreak in, 1911, 123–31.
Aldrich, J. M., 87–88.
Aleurodes aleyrodis, 202.
  citri, 202.
  flavo-citrina, 202.
  nubifera, 202.
  howardi, 77.
Alfalfa, 75, 121, 122, 295, 437, 440.
  leaf weevil, 75.
Alnus rhombifolia, 407.
Altica ampelophaga, 384.
Amblyomma americanum, 315.
  hebræum, 377, 379, 380.
  marmoreum, 378, 379.
  variegatum, 378.
Ambrosia beetle, 457.
American Association of Economic Entomologists, Proceedings, 1–64, 97–196; 241–67.
American Association of Official Horticultural Inspectors, Proceedings, 64–81; 205–32.
Amphorophora latysiphon, 408.
  rubi, 411.
Anopheles albimanus, 132, 133, 134, 141, 198.
  apicimacula, 134.
  argyritarsis, 133.
  cruzi, 135, 199.
  eiseni, 134.
  malefactor, 134.
  pseudopunctipennis, 134.
  punctimacula, 134.
  tarsimaculata, 133, 134.
Anosia plexippus, 468.
Anthonomus druparium, 75.
  suturalis, 339.
  vestitus, 252, 253.
  verbasci, 297.
Aphelinus diaspidis, 262.
  fuscipennis, 258, 262.
  mytilaspidis, 262.
Aphid notes from California, 404–11.
Aphis atriplicis, 407.
  maidis, 408.
  salicicola, 408.
Apiary Inspectors of the United States and Canada, Association of, 90.
Apple, 76, 142, 144, 145, 150, 151, 152, 154, 156, 158, 160, 165, 167, 168, 178, 185, 186, 209, 244, 245, 291, 292, 293, 294, 295, 349, 386, 387, 395, 396, 397, 398, 437, 450.
Apple scab, 168.
Apple seed chalcis, 76.
Apricot, 185, 186, 367, 450.
Argas miniatus, 191.
Argentine ant, 364.
Armadillidium vulgare, 190.
Arsenate of lead, 143, 144, 146, 166, 170, 174, 178, 387, 441.
Arsenate of iron, 454, 455.
Arsenic acid, 144.
Arsenic bran mash, 123.
  disulphid, 145.
  oxide, 154.
  trioxide, 144.
  trisulphide, 145.
Arsenious oxide, 143.
Arsenite of soda, 114, 118.
  zinc, 143, 144, 146.
Artemisia tridentata, 295.
Arthrocnodax occidentalis, 402.
Artichoke, 409.
Asparagus beetle, 429, 430.
Aspen poplars, 251.
Aspidiotiphagus citrinus, 258, 262.
Automeris io, 247.

Back, E. A., & Price, W. J., Jr., 329–34.
Bagworm, 296, 468.
Ball, E. D., 147–53.
Bananas 443, 444, 445, 446, 447, 448, 449, 450, 451.
Banks, C. S., 375.
Barreda, L. de la, 300.
Beans, 89.
Bed bug, 89, 265, 269, 310, 363.
Beets, 437, 438, 440, 441.
Betula glandulosa, 295.
Biliary fever, 377.
Bindweed, 437.
Birds, 117, 218, 243, 442, 461.
Birch, 405, 406.
  cutleaved, 246.
  scrub, 246.
  white, 246.
Birch-leaf skeletonizer, 246, 465.
Blackberry, 231, 411.

Blackberry leaf-miner egg, 403.
Black Hills beetle, 456.
pitted tick, 377.
cricket, 49.
death, 269.
fungus, 201.
leaf, 40, 171, 188.
locust, 411.
tern, 116.
Blastophaga, fructification of the fig by 349–55.
Blastophaga grossorum, 349.
Blue fungus, 457.
grass, 295.
tick, 377, 380.
Boll weevil, 191, 252, 427.
Bont leg tick, 378.
Bont tick, 377, 379.
Boophilus annulatus, 378, 380.
decoloratus, 377, 378, 379, 380, 383.
Bordeaux mixture, 168, 202.
nozzle, 164, 166, 170.
Bran mash, 119.
Browntick, 377, 379, 380.
Britton, W. E., 194–96; 241–43; 464–66.
Bronze birch borer, 246.
Brown fungus, 202, 203.
Brown-tail moth, 73, 76, 90, 173, 175, 179, 196, 465, 491.
Brues, C. T. & Sheppard, P. A. E., 305–24.
Bryobia pratensis, 290.
Bubonic plague, 314, 356.
Bucculatrix canadensisella, 246, 465.
Buckwheat, 294.
Buffalo gnat, 467.
Burgess, A. F., 172–78.
Buttrick, P. L., 456–64.

Cabbage, 145, 146, 437.
Cæoma pinitorquum, 80.
Calandra oryzæ, 190.
Calaphis betulæcolens, 404.
castaneæ, 405.
Calcium arsenite, 145.
polysulphides, 393.
California grape root-worm, 384.
live oaks, insect pests, 346–48.
oak twig girdler, 347.
Camnula pellucida, 113.
Cape brown tick, 377.
Carbon disulphide, 242.
Carolina poplars, 336.
Carpenter worm, 347.
Carpocapsa pomonella, 470.
Case bearers, 178.
Castor-bean, 427.
Cattle flies, 89.
Cattle tick, 316.
Cecidomyia cerealis, 286.
tritici, 286, 289.
Celery, 231.
Cephus occidentalis, 250.
Cerambycobius cushmani, 254.
Cerataphis lantaniæ, 404.
Ceratostomella pilifera, 457.
Cercis canadensis, 220.
Cerococcus ehrhorni, 348.
Chalcophora angulicollis montana, 458.
oregonensis, 458.
virginiensis, 458.
Chalepus dorsalis, 411, 468.
nervosa, 411.
Chalybion cæruleum, 339.
Chelonus elæaphilus, 428.
orientalis, 428.
texanus, 425–28.
Chenopodium murale, 408.
Cherry, 186, 293, 296, 437.
sour, 185, 186.
sweet, 185.
Chestnut, 76, 222, 223, 226, 227, 228, 229, 246, 294, 405.
bark disease, 76, 222–30.
Cheyletus seminivorus, life history and habits, 416–20.
Chilocorus similis, 260.
Chinch-bugs, 207.
Chionaspis pinifoliæ, 457.
Chiracanthium inclusum, 339.
Chittenden, F. H., 375.
Chrysanthemum leaf miner, 472.
Cimex lectularius, 265.
Cinnamon, 202.
Citron, 450.
Citrus, 77, 142, 202.
Citrus purple scale, 201.
Clematis, 296, 410.
Clematis ligusticifolia, 410.
Cleonus canescens 367.
Clothes moths, 363.
Clover mite, 290–95.
Coccidæ of South Carolina, 484–86.
Cochineal, 167, 168.
Cockchafer, 89.
Cockerell, T. D. A., 295.
Cockroaches, 363.
Codling moth, 385, 386, 387, 392; third brood in Kansas in 1911, 243–45; recent experiments, 153–59.
Colorado potato beetle, 145, 250.
Conchaspis angræci, 77.
Conotrachelus juglandis, 464.
Contarinia tritici, 286, 287.
Convolvulus arvensis, 409.
Cooley, R. A., 142–46.
Copper sulphate, 462.
Corn, 62, 207, 364, 398, 437.
Corn bill bug, 109–11.
Corrosive sublimate, 89.
Cotton, 124, 128, 129, 130, 253, 256, 259, 427.
Cotton boll weevil, 34, 82, 124, 126, 130.
boll worm, 452.
leaf caterpillar, 83.
moth, 123–31, 465, 467.
square-weevil of Peru and its parasites, 252–56.

Cotton stainers, 130.
States Entomologists, Proceedings of Atlanta and Washington Meetings, 82–83.
Cottony maple scale, 246.
Crawford, D. L., 364.
Creosote, 175, 194.
Criddle, Norman, 248–52.
Criddle mixture, 114, 119.
Crioceris asparagi, 429.
Crioceris 12-punctata, 246.
Crosby, C. R., 384, 403.
Crow blackbird, food 469.
Crown gall status, 230–31.
Crude carbolic acid, 362.
Cryptosiphum tahœnse, 404.
Culex pipiens, 191.
quinque-fasciatus, 132, 137, 197.
Cutworms, 246.
Cyrptorhynchus mangiferæ, 77.

Dacus tryoni, 450.
Dasychiria pudibunda, 76.
Davidson, W. M., 404–11.
Dendryphantes octavus, 339.
Dengue fever, 197, 198.
Dermacentor venustus, 191.
Dewberries, 403.
Diabrotica filicornis, 366.
longicornis, 366.
virgifera, 364–66.
vittata, 366.
Diamond back moth, 145.
Diaporthe parasitica, 223.
Diaphania nitidalis, 467.
Diaspis amygdali, 325.
lanatus, 325.
patelleformis, 325.
pentagona, 262, 325.
Diatræa saccharalis, 191.
Diplosis equestris, 286.
pinirigidæ, 368.
Disease transmission by blood-sucking insects, 196–200.
Dissosteira carolina, 232.
Doane, R. W., 268–85; 346–48.
Dog tick, 377.
Dutch inspection service, 85–87, 371.

Earwigs, 89.
East coast fever, 377, 382.
Eccoptogaster multistriata, 173.
Economic entomology and the sanitarian, 355–57.
Economic methods a hundred years old, 88–90.
Ecto-parasites, distribution of, 357–58.
Elaphidion parallelum, 339.
Elm, 76, 169, 170, 173, 242, 247, 290, 291, 397.
leaf beetle, 169–71, 173, 174, 175, 179, 246, 430, 465, 467, 490.
leaf curl, 396.
leaf miner, 178, 247.
Elm, sawfly leaf miner, 171–72.
Empusa grylli, 122, 250, 252.
muscæ, 252.
Encyrtus fuscicollis, 425.
Entomological investigations, report on, 472–84.
Entomologists' employment bureau, 296
Entomoscelis adonidis, 251.
Entylia sinuata, 339.
Epicauta pennsylvanica, 113.
sericeus, 250.
Epidosis cerealis, 286.
Erium lichtensioides, 295.
Eriococcus borealis, 295.
Erysimum parviflorum, 251.
Euceraphis betulæ, 405.
flava, 406.
European oak mildew, 80.
ant, 188.
cabbage butterfly, 145.
elm bark beetle, 173, 174, 175, 179.
blister rust, 79.
pine twister, 80.
smaller elm bark beetle, 76.
red tail, 76.
Euproctis chrysorrhœa, 465.
Eurycreon sticticalis, 437.
Euthrips pyri, 184.
tritici, 187, 188, 330.
Euxesta annonæ, 448.
Ewing, H. E., 414–15; 416–20.

Fall army worm, 403, 465, 467, 490.
Federal quarantine notices, 420, 422, 491.
Felt, E. P., 153–59; 285, 286–89; 297, 368–69; 398, 402, 403, 411.
Fernald, H. T., 245–48.
Fig, 349, 350, 351, 352, 353, 354, 355.
Filariasis, 197, 311.
Fir, 87.
Flat headed apple tree-borer, 180.
Flax, 118.
Fleas, 268, 280, 315, 356, 363.
Forbes, S. A., 205–207.
Foreign diseases on imported plants, 77–80.
Formica sanguinea, 188.
French nursery products, inspection and certification of, 83–84.
Fungous parasites of Coccidæ and Aleurodidæ in Florida, utilization of, 200–204.

Galeruca externa, 251.
Galerucella decora, 251.
luteola, 169–71; 430.
Gall-sickness, 377.
Gandara, G., 299, 300.
Garman, H., 466–69.
Gastrophilus equi, 252.
Gates, B. N., 231.
Gee, W. P., 336–37, 484–86.
Geranium, 292.
Gillette, C. P., 121–23; 364–66; 367.

Gipsy moth, 76, 87, 173, 174, 175, 179, 194, 196, 371, 465, 491; colonies in Connecticut, 194–96; from Japan —a warning, 296.
Glenn, P. A., 216–20.
Glossina morsitans, 268.
palpalis, 268.
Gnathotricus occidentalis, 457.
sulcatus, 457.
Goosberry, 180, 181, 184.
gall midge or bud deformer, 180–84.
Goosefoot, 440.
Grain, 111, 121, 190, 249, 416.
aphis, 34.
insects, 75.
Grammonota maculata, 339.
Grape berry moth, 468.
Grapes, 131, 209, 290.
Grapholitha caryæ, 467.
Grasselli's arsenate of lead, 154.
Grasshoppers, 49, 75, 250.
conditions in Colorado, 121–23.
fungus, 122.
ovipositing, position assumed by females, 232.
work in Minnesota in 1911, 111–21
Guava, 450.

Hæmaphysalis leachi, 377, 382.
Hair worms, 116.
Hairy woodpecker, 461.
Hartung, W. J., 443–51.
Hawthorn, 395, 398.
Headlee, T. J., 98–109, 472–84.
Heartwater, 377.
Heartwood pine borer, 458.
Helicobia helicis, 116.
Heliothis obsoleta, 426, 452.
Hematobia serrata, 313.
Hemerocampa leucostigma, 174.
Hemichionaspis aspidistræ, 257.
minor, 256, 257, 258, 261, 262, 263.
Herms, W. B., 355–57.
Herrick, G. W., 169–72.
Hessian fly, 75, 248, 249, 286; time wheat should be sown to escape fall brood, 98–109.
Hewitt, C. G., 296.
Hickory shuck worm, 467.
Hippodamia ambigua, 231.
Hodgkiss, H. E., 193–94.
Hollister, W. O., 263–67.
Holloway, T. E., 4, 25–28, 452–56.
Hood, Clarence E., 373.
Hop plant louse, 89.
Hornfly, 252, 313,
Horse bot flies, 252.
fly, 313, 317, 320.
House fly, 89, 114, 269, 274, 310, 318, 321, 322, 363.
Houser, J. S., 180–84; 399.
Hunter, S. J., 61–63; 207–16.
Hunter, W. D., 123–31, 188–92.
Hyalomma ægyptium, 378, 379, 382.
Hydrocyanic acid gas, 204, 220.
Hyponomeuta malinella, 425.

Important insects in 1911 in Nebraska, 193.
Infantile Paralysis, Possible Etiological Relation of Certain Biting Insects to Spread of, 305–24; note, 489.
Insect destruction of fire-killed timber in Black Hills of South Dakota, 456–64.
Insect photography methods, 54–59.
Insects and disease for 1911, annotated list of literature on, 268–85; bibliography, 271–85.
Insects and spiders in Spanish moss, 338–39.
Insects of Manitoba, 248–52.
Insects in Massachusetts, 1911, 245–48.
Insecticide industries in California, 358–64.
Inda, J. R., 237, 299–300.
Iris, 247, 248.
Intonida pini, 368.
inopis, 368–69.
resinicola, 368.
resinicoloides, 368.
tritici, 286, 289.
Ixodes pilosus, 378.
rubicundus, 377.

Japanese cedar apple, 80.
gipsy moth, 296.
Jennings, A. H., 131–42.
Johannsen, O. A. 97.
Johnston, F. A., 429–33.
June beetle, 251.

Kaliosysphinga ulmi, 171–72; 247.
Kansas court decision, 207–16.
Kellogg, V. L., 357–58.
Kerosene, 195, 381, 382.
emulsion, 187, 188.
Kissing bug, 311.
Knab, Frederick, 196–200.

Lachnosterna dubia, 251.
fusca, 398.
grandis, 398, 251.
hirsuta, 398.
hirticula, 398.
rugosa, 251.
Lachnus juniperi, 74.
Lamb's quarter, 437.
Lantern traps, 441.
Laphygma frugiperda, 403, 427, 465, 467, 490.
Larch, 178.
Larch sawfly, 251.
Lasioptera cerealis, 286.
Lead arsenate, 145, 150, 153, 154, 194, 196, 361, 392, 393.
Leaf-miners, 346.

Lecanium quercifex, 485–86.
Lemon, 448, 449, 450, 451.
Leopard moth, 173, 174, 175, 176, 241, 242, 243, 246; spread in Connecticut and injury to shade trees, 241–43.
Lepidosaphes beckii, 201.
ulmi, 470.
Leprosy, 269, 274.
Leptinotarsa 10-lineata, 250, 430.
Leptura zebra, 247.
Lesser wheat-stem maggot, 249.
Lestodiplosis caliptera, 287.
Lime-sulphur wash, 154, 168, 178, 194, 361, 415; inefficient ovicide for codling moth, 385–95.
Litomastix truncatellus, 425.
Lixus concavus, 434–36.
musculus, 339.
Locusts, 250.
Locust leaf miner, 411, 468.
London purple, 126.
Longstaff, G. B., 301.
Loxostege sticticalis, 436–43.
Lygus pratensis, 329, 330, 331, 332, 333, 334.

Macrobasis unicolor, 113, 122.
Macrosiphum chrysanthemi, 411.
granarium, 411.
solanifolii, 411, 471.
Madariaga, A., 299.
Malaria, 134, 135, 136, 137, 141, 197, 198, 199, 270, 272, 311, 356, 357.
Malignant jaundice, 377, 382.
Malva-weed mite, 292.
Mango seed weevil, 75, 77.
Maple, 242, 296.
Maple-leaf stem sawfly, 247.
Margaropus annulatus, 190, 191, 313, 316.
Marlatt, C. L., 73–77; 83.
Mayetiola destructor, 248, 286.
Mediterranean fruit fly 443–51.
Megilla maculata, 339.
Melanoplus atlanis, 113, 118, 120, 121.
bivittatus, 113, 116, 120, 121, 232.
differentialis, 113, 116, 120, 121, 232.
femur rubrum, 113, 120, 121.
spretus, 118, 232.
Meliana albilinea, 335.
Mercuric chloride, 462.
Mesochorus agilis, 442.
nigrisignis, 336.
Metcalf, Haven, 222–30.
Metellus rubi, 403.
Microgaster auripes, 335.
Microplitis melianæ, 335, 336.
Mildew, 294.
Milliken, F. B., 232.
Minnesota fly trap, 400–402.
Minnesota mixture, 114.
Monarch butterfly, 468.
Monohammus titillator, 458.
Monostegia ignota, 471.
Moore, Wm., 377–84.
Mosquitoes, 196, 252, 269, 272, 289, 311, 312, 318, 320, 321, 322, 363, 448; control in the Tropics 131–42.
Mountain ash, 247, 395, 396, 397, 398.
Mulberry, 325, 326.
Muriate of ammonia, 89.
Muscinus stabulans, 116.
Myiasis, 277.
Myriangium duriæi, 201.
Myzine sexcincta, 490.
Myzus varians, 409.

Napomyza chrysanthemi, 472.
Neophasia menapia, 87.
Neumann, L. G., 92.
Nicandra physaloides, 251.
Nicotiana affinis, 251.
Nicotine, 187, 194, 264, 265, 266, 267.
Nicotine sulphate, 265, 267, 362.
Norton, J. B. S., 230–31.
Notogramma stigma, 448, 451.
Nysius californicus, 339.

Oak, 80, 180.
tree Cerococcus, 348.
tree moth, 346.
Odontota dorsalis, 411, 468.
Oil of turpentine, 89.
O'Kane, W. C., 54–59.
Olive oil, 89.
Oncideres cingulata, 467.
Onion, 294, 437.
Ophionectria coccicola, 201.
Orange, 445, 450.
Oriental sore, 284.
Ortho arsenite of zinc, 142, 145.
Oscinis soror, 249.

Pacific Coast Inspectors Association, 370–71.
Pacific Slope Association of Economic Entomologists, Proceedings, 340–45.
Paddock, F. B., 436–43.
Palm weevil, 110.
Pamphilius dentatus, 465.
persicum, 465.
Panchlora hyalina, 247.
Pappataci fever, 197.
Paris green, 114, 119, 126, 142, 143, 145, 146, 361, 438, 442, 453, 454, 455.
Paromius longulus, 339.
Parrott, P. J., 184–88; 193–94.
Patch, Edith M., 395–98.
Peach, 75, 185, 186, 209, 290, 294, 329, 330, 334, 349, 367, 427, 450.
bud mite, 329.
seed weevil, 75.
thrips, 329.
yellows, 226.
Pears, L. M., 243–45.

Pear, 185, 186, 187, 193, 292, 293, 294, 450.
Psylla, susceptibility of adults and eggs, to spraying mixtures, 193–94.
thrips in New York, 184–88.
Pellagra, 277, 314.
Pentarthron retorridum, 335.
Peppergrass beetle, 251.
Peridermium pini, 79.
Peridroma saucia, 471.
Petroleum as a pabulum, 285.
fly in California, 364.
Phalacrus penicellatus, 339.
Philodromus diversus, 339.
Phlebotomus or sandfly fever, 278.
Phlegethontius sexta, 471.
Phorodon carduinum, 409.
Phyllaphis coweni, 404.
Phytophaga destructor, 286, (see also Mayetiola).
Pickle worm, 467.
Pierce, W. D., 425–28.
Pig-weed, 437, 440.
Pimpla behrendsii, 346.
Pine, 78, 87, 293.
Pineapple, 443, 444, 450.
Pinus ponderosa, 456.
rigida, 368.
virginiana, 368.
Plague, 280.
Plant lice, 246, 252, 263.
Plum, 185, 186, 291, 292, 293, 294, 437, 450.
Plum curculio, 75, 162.
Plusia gamma, 425.
Plutella maculipennis, 145.
Pneumonic plague, 268.
Poisoned baits, 89, 114.
bran mash, 114.
horse droppings, 250.
Poison exponent, 452–56.
Polychrosis botrana, 468.
Polygnotus diplosis, 368.
Polyporus ponderosa, 457.
Pomphopæa sayi, 247.
Pontia rapæ, 250.
Populus deltoides, 336.
Porcellio lævis, 190.
Porthetria dispar, 194, 465.
Potato, 79, 88, 97, 120, 121, 123, 145, 251.
beetle, 430.
sweet, 201.
wart disease, 77.
Prairie blister beetle, 250.
Priophorus acericaulis, 247.
Prodiplosis fitchii, 286, 288.
Prospaltella aurantii, 258, 260.
berlesei, 258, 262; in Italy 325–28.
Prune, 292.
simonii, 294.
Pseudococcus calceolariæ, 191.
Psilopa petrolei, 285.
Pulvinaria innumerabilis, 246.
psidii, 76.
Pumpkin, 450.
Pyrus americana, 395, 397.
sitchensis, 395.

Quaintance, A. L., 301, 374.
Quarantine, federal, 420, 422, 491.
Queen bees and other insects in the mails, 296–97.
Queensland fruit fly, 450.
Quince, 185, 186, 450.

Radish, 294.
Ramirez, R. 237, 300.
Raspberry, 231.
Rat fleas, 279.
Recent new importations, 73–77.
Red Aschersonia, 200, 202, 203.
headed scale fungus, 200–201.
mite, 116, 122, 250.
rot, 457.
spider, 414.
tick, 377, 380.
Reduviid bug, 310, 311.
Redwater, 377.
Rhipicephalus appendiculatus, 378, 379.
capensis, 377, 378, 382.
duttoni, 378.
evertsi, 377, 378, 379, 383.
lunulatus, 378.
nitens, 378.
oculatus, 378.
sanguineus, 378.
simus, 377, 378.
Rhopalomyia grossulariæ, 180–84.
Rhynchophorus cruentatus, 110, 111.
Rice weevil, 191.
Rixford, G. P., 349–55.
Roentgen rays upon insects, effect of, 188–92.
Rose, 247, 248, 292.
Rosenfeld, A. H., 338–39.
Rubus nutkanus, 411.
Rumex crispus, 434, 436.
Russell, H. M., 429–33.

Safro, V. I., 385–95.
Sanderson, E. D., 237, 422.
Sand-fly and Pellagra, 61–63.
San José scale, 174, 201, 205, 207, 209, 210, 211, 216, 217, 218, 222, 226, 246, 466.
Sanders, J. G., 472.
Saperda calcarata Say in South Carolina 336–37.
Schistocera shoshone, 232.
Schizoneura lanigera, 395, 398.
Sciara sciophila larvæ in chains, 399.
Scolytus multistriatus, 76.
Scott, W. M., 301.
Scymnus collaris, 339.
Seventeen-year locust, 49.
Severin, H. H. P., 443–51.

Shade tree pests in Eastern Massachusetts, 172–78.
Sherman, Franklin, Jr., 70–73.
Simulium reptans, 314.
vittatum, 62.
Sleeping sickness, 268, 278, 312.
Smith, J. B., 234–36.
Smith, R. E., 109–11.
Soap, 187, 188, 263.
Sodium arsenite, 114, 119, 145.
Spaulding, Perley, 77–80.
Sphærostilbe coccophila, 200, 201.
Sphenophorus callosus, 109–11.
costipennis, 110.
ochreus, 111.
parvulus, 111.
Splenic fever, 212.
Spirochætosis, 377.
Sporotrichum globuliferum, 171.
Spotted fever, 270.
fever tick, 270.
Spruce aphid, 74.
Squirrels, 280.
Stable flies, 252, 312, 318, 324.
Stable fly and infantile paralysis, 464, 489.
Stegomyia calopus, 132, 133.
Stenobothrus curtipennis, 113.
Stinkweed, 250.
Stomoxys calcitrans, 252, 312, 324, 464, 489.
Stop-back of peach, 329–34.
Strawberry, 398.
Sugar-beet web worm, 436–43.
cane mealy bug, 191.
beets, 121.
Sulphuric acid, 265.
Swenk, M. H., 193.
Syntomaspis druparum, 76.
Symons, T. B., 220–22.
Syringa, 248.

Tabanus lineola, 324.
Tarnished plant-bug, 329.
Tarsonemus waiteri, 329, 330, 333, 334.
Telea polyphemus, 247.
Tetranychus mytilaspidis on stone and pomaceous fruit trees in Oregon, 414–15.
Tetranychus telarius, 414.
Tetrastichus asparagi, 429–33.
Texas fever, 212, 316, 377.
Thecodiplosis mosellana, 286, 287.
Theronia fulvescens, 87–88.
Thimble-berry, 411.
Tick problem in South Africa, 377–84.
Thlaspi arvense, 250.
Thrips, 329, 330, 331.
tabaci, 187, 188.
Thuya, 296.
Thyridopteryx ephemeræformis, 468.
Tibicen septendecim, 471.
Ticks, 200, 270, 282.
Tobacco, 193, 263, 264, 267, 362.
beetle, 192.
Tobacco extract, 187, 263.
extracts as insecticides, 263–67.
powder, 263.
smoke, 264.
water, 263, 264.
Tomato, 450.
Townsend, C. H. T., 252–56; 256–63.
Tree tanglefoot, 194, 196.
Triatoma megistus, 197.
Troop, J., 490.
Tropical almonds, 445.
Trypanosoma lewisi, 279.
disease, 197.
Trypanosome gambiense, 268.
Tsetse flies, 278, 312.
Tuberculosis, 213.
Turnip, 251.
beetle, 251.
Tussock moth, 174, 346.
Twelve-spotted asparagus beetle, 246.
Twig girdler, 347, 467.

Vallejo, E. L., 301.
Verticillium heterocladum, 202.
Vinca major, 409.

Walnut weevil, 464.
Washburn, F. L., 33–53; 111–21; 296; 400–402.
Watson, J. R., 200–204.
Webster, F. M., 290–95.
Webster, R. L., 335–36; 422, 469–72.
Weiss, H. B., 88–90; 434–36.
Western wheat-stem sawfly, 250.
yellow pine, 456.
Wheat, 98, 107, 207.
head army-worm, 335–36.
midge, identity of, 286–89.
White arsenic, 89, 438.
blotch leaf miner, 347.
grubs, 398, 465, 490.
scale, 325.
headed fungus, 201.
fly, 75, 77, 200, 201, 202, 203; insecticides for use in controlling, 142.
hellebore, 263.
fringe fungus, 202, 203.
pine blister rust, 77.
scale of cotton, work in Peru against, 256–63.
Wild cotton, 253.
Willow, 180, 251, 408.
leaf beetle, 251.
Wire worms, 88, 97.
Wistaria, 220.
Woodworth, C. W., 358-64.
Woolly aphid migration, 395–98.
Woolly aphis, 263.

Xysticus piger, 339.

Yellow fever, 141, 197, 199, 269, 270, 273, 311, 356.
fever mosquito 269.
Yothers, W. M., 142.

Zeuzera pyrina, 174, 241, 246.
Zinc ortho arsenite, 145.